

Hair submission form for the Canine Cushing's Study

Please provide a small handful of fur collected by brushing or clipping the hair from the ventral neck (underside of the neck) from a dog with hyperadrenocorticism (Cushing's disease).

Please send the sample with this completed form to:
Imogen Schofield,
The Royal Veterinary College,
Hawkshead Lane,
Hatfield,
Hertfordshire,
AL9 7TA.

Age: Sex:

Breed:

Current treatment and dose:

Length of time with diagnosis:

Please choose the category that **best** describes how this dog with hyperadrenocorticism is **TODAY**

Dog's score:

Drinking - compared to before the onset of Cushing's			
Normal	Drinks the same amount or less	0	
Mild	Some increase in drinking	1	
Moderate	Notable increase in drinking	2	
Severe	Constantly seen to be drinking	3	
Urination - compared to before the onset of Cushing's			
Normal	Urinate the same amount or less	0	
Mild	Some increase in urination	1	
Moderate	Notable increase in urination	2	
Severe	Constantly needs to be let out to urinate	3	
Appetite - compared to before the onset of Cushing's			
Normal	Appetite is the same or less	0	
Mild	Finishes food more eagerly	1	
Moderate	Finishes food more eagerly then begs for more	2	
Severe	More obsessed with food than ever	3	
Appearance - compared to before the onset of Cushing's			
Normal	Appearance is the same	0	
Mild	Slightly poor hair and skin quality	1	
Moderate	Poor hair and skin quality with some hair loss <i>and/or</i> Some muscle loss/pot belly	2	
Severe	Substantial hair loss <i>and/or</i> Noticeable muscle loss/pot belly	3	
Attitude/Activity - compared to before the onset of Cushing's			
Normal	Attitude/activity is the same	0	
Mild	Not quite themselves	1	
Moderate	Quieter and less active <i>and/or</i> Panting more than normal	2	
Severe	Very quiet, dull and weak <i>and/or</i> Noticeable increase in panting	3	